

SAFETY RAILS2

APPLIED GLASS STOPS3

TUBES4

STOOL TRIM AND ACCESSORIES.....5

Laws and building and safety codes governing the design and use of glazed entrance, window, and curtain wall products vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.

Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement.
© Kawneer Company, Inc., 2014

LAWS AND BUILDING AND SAFETY CODES GOVERNING THE DESIGN AND USE OF GLAZED ENTRANCE, WINDOW, AND CURTAIN WALL PRODUCTS VARY WIDELY. KAWNEER DOES NOT CONTROL THE SELECTION OF PRODUCT CONFIGURATIONS, OPERATING HARDWARE, OR GLAZING MATERIALS, AND ASSUMES NO RESPONSIBILITY THEREFOR.


Metric (SI) conversion figures are included throughout these details for reference. Numbers in parentheses () are millimeters unless otherwise noted.

The following metric (SI) units are found in these details:


- m – meter
- cm – centimeter
- mm – millimeter
- s – second
- Pa – pascal
- MPa – megapascal

For specific product applications,
Consult your Kawneer representative.


SCALE 3" = 1'-0"



RAILING MOUNTED ON FACE OF MULLION



RAILING MOUNTED BETWEEN MULLIONS




104060 SAFETY RAIL




060274 STAND OFF ANCHOR BAR




060275 STANDARD END CAP



060276 BETWEEN MULLION END CAP



RAILING MOUNTED ON FACE OF MULLION







RAILING MOUNTED BETWEEN MULLIONS

Vertical text on the right side of the page: Laws and building and safety codes governing the design and use of glazed entrance, window, and curtain wall products vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.









Vertical text on the right side of the page: Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement. © Kawneer Company, Inc., 2014

SCALE: 3" = 1'-0"






GLASS STOP ASSEMBLIES






ASSEMBLY COMBINATIONS




TYPICAL APPLICATION



PIERCED STOPS

















TYPICAL APPLICATION



Laws and building and safety codes governing the design and use of glazed entrance, window, and curtain wall products vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.

Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement.
© Kawneer Company, Inc., 2014

SCALE 3" = 1'-0"




Laws and building and safety codes governing the design and use of glazed entrance, window, and curtain wall products vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.

Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement.


© Kawneer Company, Inc., 2014

SCALE 3" = 1'-0"


STOOL TRIMS




069263
GYPSUM BOARD TRIM




069266
5" STOOL TRIM




069264
2-3/4" STOOL TRIM



069267
6-1/8" STOOL TRIM




069265
4-1/4" STOOL TRIM



069268
6-3/4" STOOL TRIM

STOOL TRIM CLIPS




450VG640
4" REVERSABLE
STOOL TRIM CLIP PACKAGE
(TRIFAB 400 & TRIFAB VG 450)

For use with both Standard and HP Flashing



450VG140
(STOCK LENGTH)




451VG640
4" REVERSABLE
STOOL TRIM CLIP PACKAGE
(TRIFAB VG 451/451T)

For use with both Standard and HP Flashing




451VG140
(STOCK LENGTH)




069271
STOOL TRIM CLIP PACKAGE

NOTE:
Not compatible with all sill configurations

APPLIED DOOR STOPS



069154



069177

Laws and building and safety codes governing the design and use of glazed entrance, window, and curtain wall products vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.

Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement.
© Kawneer Company, Inc., 2014

Laws and building and safety codes governing the design and use of glazed entrance, window, and curtain wall products vary widely. Kawneer does not control the selection of product configurations, operating hardware, or glazing materials, and assumes no responsibility therefor.

Kawneer reserves the right to change configuration without prior notice when deemed necessary for product improvement.
© Kawneer Company, Inc., 2014